

Certificate of Product Approval

Certificate Number: 1390a

Issue: 02

Urban Front Limited

Unit 4, Chesham Business Park
33 Townsend Road
Chesham
Buckinghamshire
HP5 2AA

is authorised to use the LPCB mark in association with the product(s) listed in this certificate and appendix having complied with the requirements of the standard(s) detailed below:

Products

E80S

hinged security doorset

Standard

LPS 1175: Issue 7

Requirements and testing procedures for the LPCB approval and listing of intruder resistant building components, strongpoints, security enclosures and free-standing barriers

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

14 February 2020
Date of Issue

1 March 2017
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.



Appendix to Certificate No: 1390a Urban Front Limited

Issue: 02

Hinged Security Doorset

Product Name	Product Type	Minimum Structural Opening Height (m)	Maximum Structural Opening Height (m)	Minimum Structural Opening Width (m)	Maximum Structural Opening Width (m)	Security Rating	LPCB Ref. No.
E80S	Single leaf inward opening doorset	1.908	2.4	0.54	1.2	2 ¹	1390a/01

Compatible Locking System

Manufacturer	Model	Type	Operating Devices		Compatible External Cylinders
			External Face	Internal Face	
Glutz	Mint 18951	Multi-point morticed locking system	Key	Key or thumbturn	A or B

Compatible Cylinders

Cylinder Reference	Manufacturer	Model	Type
A	Kaba	pExtra Guard	Europrofile cylinder (key:key)
B	Kaba	pExtra Guard	Europrofile cylinder (key:thumbturn)

Approved Optional Design Features / Accessories

Optional Design Feature / Accessory	Description
Vision panels	Rectangular vision panels incorporating 'security' glazing units
Letter plate	Rectangular letter plate
Thresholds	Drop down seal
	Mobility threshold
Alternative finishes	Range of alternative timber finishes

Notes:

- The doorset achieves the listed Security Rating classification when placed in the optimum locked condition. A Security Rating 1 classification prevails when placed in the minimum locked condition.
- The doorsets are approved for installation into brick, blockwork, concrete and steelwork structures in accordance with the instructions contained on document titled 'PR12 Instruction Manual E80S Front Doors' revision 3.

This certificate and appendix is maintained and held in force through regular surveillance activities



Signed for BRE Global Ltd.

Paul Dillon
Verifier

14 February 2020
Date of Issue

1 March 2017
Date of First Issue



This certificate and appendix remains the property of BRE Global Ltd. and is issued subject to terms and conditions (for details visit www.redbooklive.com/terms).

To check the validity of this certificate and appendix please visit www.redbooklive.com/check, scan the QR tag or contact us.

BRE Global Ltd, Watford, WD25 9XX
T: +44 (0)333 321 8811 E: enquiries@breglobal.com

LPCB is a Registered Trademark of the Building Research Establishment Ltd.


